

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24371

Stream : Moores Creek

Applicant : II William Kikendall
PO Box 190
Brooklyn, IN 46111-0190

Description : A new culvert crossing will be placed in Moores Creek to carry single residence ingress/egress traffic across the ditch. The new crossing will consist of two (2), parallel 5' diameter by 40' long culverts having projected ends extending through riprap with 1.8 horizontal to 1 vertical sideslopes. The culvert ends will be provided with cutoff walls extending at least 2' below the creek flow line to prevent undermining of the structures. They will have upstream and downstream inverts of 772.2', NGVD and 772.0', NGVD, respectively. Both the culverts will be aligned with streamflow. Minor channel shaping will occur both downstream and upstream of the crossing to provide a better flow transition into and out of the culvert system. The shaping will be confined to the construction right-of-way. The shaped areas will be lined with 6" diameter riprap. The approach roads will be constructed on fill placed at a height of 1 to 2.5 ft above existing grade. The roadway surface will be graveled with #2 stone. The top of road grade over the culvert is 779.0' NGVD and 778.0' NGVD at the road overflow section. Details of the project are contained in information and plans received at the Division of Water on June 6, 2007.

Location : Approximately 925' downstream of the County Road 150 West stream crossing near Franklin, Franklin Township, Johnson County
NE¼, NE¼, SW¼, Section 18, T 12N, R 4E, Trafalgar Quadrangle
Quad Code: 3908642
UTM Coordinates: Downstream 4670510 North, 574855 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24379

Stream : Trittipo Ditch

Applicant : City of Lawrence
Lori Kaplan
9001 East 59th Street
Lawrence, IN 46216-1007

Description : The existing 9.5' by 6.5' elliptical corrugated metal pipe culvert at Cable Drive will be replaced with a 16' by 5.5' concrete box culvert with concrete wing walls. The culvert will have upstream and downstream inverts of 822.32' and 821.88, respectively. Minor channel shaping will occur both upstream and downstream of the crossing to provide better flow into the culvert. The shaped areas will be lined with a 30" thick layer of Class 2 riprap placed over geotextile fabric. The crown of the roadway over the culvert is at an elevation of 830.18'. Steel W-beam guardrails will be placed along each side of the roadway. Details of the project are contained in information and plans received at the Division of Water on June 18, 2007.

Location : At the Cable Drive stream crossing; approximately 1250' downstream of the Conrail stream crossing
near Lawrence, Lawrence Township, Marion County
SE¼, SE¼, SW¼, Section 27, T 17N, R 5E, McCordsville Quadrangle
Quad Code: 3908588
UTM Coordinates: Downstream 4415528 North, 589790 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24380

Stream : Buck Creek

Applicant : J W Blankenship
1944 North 600 West
Greenfield, IN 46140-8380

Description : A 250' by 380' area will be filled in the floodplain of the creek. Details of the project are contained in information and plans received at the Division of Water on June 18, 2007.

Location : Along the east (left) overbank, extending approximately 380' downstream and 250' east of the County Road 200 North stream crossing
DOWNSTREAM: near Cumback, Buck Creek Township, Hancock County
NE¼, NE¼, NE¼, Section 25, T 16N, R 5E, Cumberland Quadrangle
Quad Code: 3908578
UTM Coordinates: Downstream 4407365 North, 592722 East
UPSTREAM:
UTM Coordinates: Upstream 4407469 North, 592731 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24386

Stream : Gas Creek

Applicant : Greensburg Community Schools
Tom Hunter
1312 West Westridge Parkway
Greensburg, IN 47240-3251

Description : A 120' by 130' expansion of an existing high school will be constructed. The addition will be a physical education structure. The lowest floor of the structure will be set at 2.65' above the 100-year frequency flood elevation of 929.5', NGVD. A 20,000 square foot area will be filled to the north of the addition for the purpose of proposed parking. An existing basketball court will be removed. Details of the project are contained in information and plans received at the Division of Water on June 22, 2007.

Location : Greensburg Junior High School; along the east (right) overbank, extends approximately 300' downstream of the Central Avenue stream crossing

DOWNSTREAM: at Greensburg, Washington Township, Decatur County
NW¼, SW¼, SW¼, Section 1, T 10N, R 9E, Greensburg Quadrangle
Quad Code: 3908534
UTM Coordinates: Downstream 4355550 North, 631131 East
UPSTREAM:
UTM Coordinates: Upstream 4355598 North, 631163 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24388

Stream : St. Joseph River

Applicant : Ralph T Bennett
10392 Jefferson Road
Osceola, IN 46561-9154

Description : An existing, deteriorated and fallen concrete seawall will be replaced with a natural boulder rock seawall along 55' on the north bank of the river to deter bank erosion. The new wall will be approximately 3' high, as measured from the riverbed, will have the same alignment as the existing wall, and will rest into existing seawalls located on adjacent properties located to the east and the west. The boulders will be laid approximately 3' into the riverbed and will be overlapped at 0 ft intervals for stability. Clean fill will be brought onsite to backfill the area landward of the natural rockwall. The fill will be leveled with the top of the wall at the river and will be tapered back to existing ground elevations within the project site. Details of the project are contained in information received electronically at the Division of Water on June 25, 2007 and in plans and information received at the Division of Water on

Location : Along the right (north) bank of the St. Joseph River, spanning 55' of the entire frontage at property located at 10392 Jefferson Road
at Osceola, Penn Township, St. Joseph County
NE¼, NE¼, Section 9, T 37N, R 4E, Osceola Quadrangle
Quad Code: 4108661

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24390

Stream : Trittippo Ditch

Applicant : City of Lawrence
Lori Kaplan
9001 East 59th Street
Lawrence, IN 46216-1007

Description : The existing 90" by 74" and 48" by 36" elliptical corrugated metal pipe culverts at Old Orchard Drive will be replaced with a 16' by 5.5' concrete box culvert. The new culvert will have upstream and downstream inverts of 825.16' and 824.83', respectively. Minor channel shaping will occur both upstream and downstream of the crossing to provide for better flow through the culvert. The shaped areas will be lined with a 30" thick layer of Class 2 riprap placed over geotextile fabric. The crown of the roadway over the culverts is an elevation of 832.58'. Steel W-beam guardrails will be placed along each side of the roadway over the channel. Details of the project are contained in information and plans received at the Division of Water on June 18, 2007.

Location : At the Old Orchard Drive stream crossing; approximately 800' downstream of the Conrail stream crossing
near Oaklandon, Lawrence Township, Marion County
SE¼, SE¼, SW¼, Section 27, T 17N, R 5E, McCordsville Quadrangle
Quad Code: 3908588
UTM Coordinates: Downstream 4415437 North, 589890 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20770

Lake : Cedar Lake

Applicant : Bob Hopkins
13137 Polk Street
Cedar Lake, IN 46303-9506

Description : An existing concrete seawall will be refaced across 45' of the applicant's frontage. The reface layer will consist of steel sheet piling installed a maximum of 6" lakeward of the toe of the existing seawall. Details of the project are contained in information and plans received at the Division of Water on June 14, 2007.

Location : 13137 Polk Street
at Cedar Lake, Hanover Township, Lake County
NE¼, SW¼, SE¼, Section 22, T 34N, R 9W, St. John Quadrangle
Quad Code: 4108744
UTM Coordinates: Downstream 4580981 North, 463422 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20771

Lake : Big Chapman Lake

Applicant : Sue Wildes
11 EMS C-13 Lane
Warsaw, IN 46582-7913

Description : An approximate 195' by 35' area will be dredged. Approximately 3' of accumulated muck and debris will be removed from the channel bed by dredging to a maximum depth of 6' below the lake's legal level at the center of the channel and sloping uniformly to a depth of less than 1' at the shoreline. The excavated material will be transported to an upland detention area where it will be dewatered before being transported to an offsite disposal area. Details of the project are contained in information and plans received at the Division of Water on June 15, 2007.

Location : 11 EMS C 13 Lane and 1309 Chapman Lake Drive
near Warsaw, Plain Township, Kosciusko County
NW¼, SE¼, SW¼, Section 25, T 33N, R 6E, Leesburg Quadrangle
Quad Code: 4108537
UTM Coordinates: Downstream 4570742 North, 602325 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20774

Lake : Palestine Lake

Applicant : Annette Ellis
4126 South Lakeshore Drive
Mentone, IN 46539-9513

Description : A new glacial stone seawall will be constructed across 164' of the applicant's 214' frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on June 18, 2007 and June 27, 2007.

Location : 4126 and 4152 South Lakeshore Drive
near Mentone, Seward Township, Kosciusko County
NE¼, NW¼, NW¼, Section 2, T 31N, R 5E, Burket Quadrangle
Quad Code: 4108528
UTM Coordinates: Downstream 4558401 North, 588618 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20775

Lake : Simonton Lake

Applicant : Robert Hamilton
24412 Belmar Drive
Elkhart, IN 46517-3356

Description : A new steel sheet piling seawall will be constructed across 120' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on June 18, 2007.

Location : Lot 13 of Sunset Bay
near Elkhart, Osolo Township, Elkhart County
NW¼, NW¼, NW¼, Section 15, T 38N, R 5E, Elkhart Quadrangle
Quad Code: 4108568
UTM Coordinates: Downstream 4622910 North, 587772 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20782

Lake : Lake James

Applicant : Gary Ecenbarger
320 Lane 510 Lake James
Fremont, IN 46737-9030

Description : An existing underwater beach will be improved in front of the applicant's property on Lake James to prevent further beach erosion. A 4" to 8" layer of 7/64" diameter clean, washed pea gravel will be placed directly on top of the remaining sand. The placement will begin approximately 20' west of the eastern property line and will extend westerly across 24' of the 112' frontage. It will project lakeward for less than 30'. Details of the project are contained in information received electronically at the Division of Water on June 21, 2007 and in plans and information received at the Division of Water on

Location : 310 Ln 510 Lake James
at Fremont, Jamestown Township, Steuben County
Section 33, T 38N, R 13E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20783

Lake : Simonton Lake

Applicant : George Lott
50986 North Shore
Elkhart, IN 46514-6345

Description : A new seawall will be constructed across 42' frontage of the applicant along Simonton Lake to deter shoreline erosion. The wall will consist of vinyl sheet piling which will be anchored to deadmen 12' into the property. Details of the project are contained in information received electronically at the Division of Water on June 25, 2007 and in plans and information received at the Division of Water on

Location : 50986 North Shore; Lot 45 Bells North Shore Place
near Elkhart, Osolo Township, Elkhart County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20784

Lake : Lake Wawasee

Applicant : Randall Seniff
12113 Mohican Drive
Syracuse, IN 46567-8767

Description : A new seawall will be constructed across 20' frontage of the applicant along Lake Wawasee channel to deter shoreline erosion. The wall will consist of vinyl sheet piling anchored to deadmen which will be 12' into the property. Details of the project are contained in information received electronically at the Division of Water on June 25, 2007 and in plans and information received at the Division of Water on

Location : 12113 Mohican Drive; Lots 134 and 135 Johnson Bay Subdivision
at Syracuse, Turkey Creek Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-20785

Lake : Irish Lake

Applicant : Howard E Smith
900 Progress St
Middletown, IN 47356-1226

Description : A new seawall will be constructed across 82' frontage of the applicant along Irish Lake to deter shoreline erosion. The wall will consist of vinyl sheet piling which will be anchored to deadmen 12 ft into the property. Details of the project are contained in information received electronically at the Division of Water on June 25, 2007 and in plans and information received at the Division of Water on

Location : 39 EMS B40G LN; Lot 10 crestwood 1st addition
near Leesburg, Tippecanoe Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20786

Lake : Koontz Lake

Applicant : Kathy Peceniak
539 Old Hickory Rd
New Lenox, IL 60451-1650

Description : A new seawall will be constructed across the 50' frontage of the applicant along Koontz Lake to deter shoreline erosion. The wall will consist of vinyl sheet piling which will be anchored to deadmen 12' into the property. Details of the project are contained in information received electronically at the Division of Water on June 25, 2007 and in plans and information received at the Division of Water on

Location : 4104 Leslie; Lakeview Pt Subdivision Lot 17
near Walkerton, Oregon Township, Starke County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11